



T.			U_f	I_f	U_{tr}	U_o	U_p	$I_{a(max)}$	I_o	I_p	Fig. ¹⁾
			V	A	V	V	V	mA	mA	mA	n°
DCG 3/3000	Phi	1	5	6,75			7500	1000		4000	
G 7,5/2,5 d	AEG	2	5	10			7500	800		2500	
G 10/3 i	AEG	3	5	4			10000	1000		3000	
G 15/1,5 i	AEG	4	5	7			15000	500		1500	
Gle 2000/1/2,5	Sim	1	5	10			2000	1000		2500	
Gle 2000/1/3	Sim	1	5	10			2000	1000		3000	
Gle 5000/1/2,5	Sim	1	5	10			5000	1000		2500	
Gle 5000/1/3	Sim	1	5	7			5000	1000		3000	
Gle 10000/1/2,5	Sim	1	5	10			10000	1000		2500	
Gle 10000/1/4	Sim	2	5	7,5			10000	1000		4000	
							15000	1000		4000	
Gle 15000/1/4	Sim	2	5±5%	7,5	{ 5300 10600	4780 9560	15000 15000		2000 2000		2 3
					{ 5500 11000	5000 10000	15000 15000	500	1000 1000	2000	2 3
HG 53	Fer	1	5	3			13000	1000		4000	
					{ 4500 9000	4000 8000	13000 13000		2000 2000		2 3
HG 55	Fer	1	5	5			5000	1000		4000	
							7500			600	
RG 2/1000	Mul	1	5	10			7500			2500	
RG 48	Tif	2	5	7			7500			2500	
RG 49	Tif	5	5	20			10000	500		2500	
VH 2500	SFR	1	5	10						2500	
267-B	WE	5	5	6,75			7500	1000		4000	
319-A	WE	2	5	6,75						4000	
315-A	WE	5	5	10						4000	
321-A	WE	2	5	10			12500	1000		4000	

¹⁾ vide gr. 58 a

Equivalents

F 315 A	Fed =	315-A
RGQ 7,5/2,5	Tlf =	G 7,5/2,5 d
55 HG 13	Fer =	HG 55
267-A	WE =	267-B

