



**12BA6
12BE6
12C8GT
12J7GT**



Current Equipment Type

TYPE 12BA6
MINIATURE
HIGH SLOPE
VARI-MU
R.F. PENTODE
RATINGS




B7G Base

Heater Voltage 12.6 volts Heater Current 0.15 amp


Type 12BA6 is a commercial equivalent to CV1928

For further information and characteristic curves refer to type 6BA6.



Current Equipment Type


TYPE 12BE6
MINIATURE
HEPTODE
FREQUENCY
CHANGER
RATINGS



B7G Base


Heater Voltage 12.6 volts Heater Current 0.15 amp.

For further information and characteristic curves refer to type 6BE6.



Replacement Type


TYPE 12C8GT
(OCTAL BASE)
DOUBLE DIODE
AMPLIFIER PENTODE
RATINGS



Note.—Pin 1 connected to metal shell.


Heater Voltage 12.6 volts Heater Current 0.15 amp

For further information and characteristic curves refer to type 6B8GT.



Replacement Type

TYPE 12J7GT
(OCTAL BASE)
R.F. PENTODE
RATINGS



Note.—Pin 1 connected to metal shell.

Heater Voltage 12.6 volts Heater Current 0.15 amp.

For further information refer to type 6J7GT.