


T.	Image	Cl.	U _f (V)	I _f (A)	U _a (V)	U _g (V)	I _a (mA)	I _g (mA)	U _{g5} (V)	P _{dr} (W)	R _o (R _{o1a}) (kΩ)	h _i (%)	P _o (W)	P _g (W)	P _a (W)
DET27	Marc	AB 1	2000	10	2000	190	450	40	315	15	2,1	5	650	20	250
			2500	10	2500	300	500	max	max	max	max	max	max	max	max
DET27	Marc	AB 2	1600	10	1600	150	325	30	260	9	2,4	5	335	20	165
			2500	10	2500	300	400	0	0	0	0	0	0	0	0
DET27	Marc	stat.	2000	10	2000	80	(50 ÷ 150) × 2	0	90 × 2	15	(10)	5	250	20	190 × 2
			2500	10	2500	115	(60 ÷ 180) × 2	0	0	115 × 2	9	(12)	5	400	20
DET27	Marc	stat.	2000	10	2000	80	(50 ÷ 240) × 2	(0 ÷ 15) × 2	175 × 2	15	(10)	6	650	20	160 × 2
			2500	10	2500	115	(60 ÷ 265) × 2	(0 ÷ 15) × 2	0	200 × 2	9	(12)	6	900	20
S = 9 mA/V; μ = 22; R _i = 2,45 kΩ maximum (U _{a(pk)}) = 6000 V; I _{k(pk)} = 4 A; f = 3 MHz															



C _s	C _a	C _{g/a}
pF	pF	pF
14	7,5	24

